















ZOTAC GAMING MEK1 GAMING PC User's Manual



No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form or by any means, except documentation kept by the purchaser for backup purposes, without the express written permission of ZOTAC.

Products and corporate names mentioned in this manual may not be registered trademarks or copyrights of their respective companies, and are used for identification purposes only. All trademarks are the property of their respective owners.

Every effort has been made to ensure that the contents of this manual are correct and up to date. However, the manufacturer makes no guarantee regarding the accuracy of its contents, and reserves the right to make changes without prior notice.

CAUTION:

Risk of explosion if the battery is replaced with an incorrect type. Batteries should be recycled where possible. Disposal of used batteries must be in accordance with local environmental regulations.

Table of Contents

Product specifications	3
Safety information	4
Setting up your system	4
Care during use	4
Welcome	5
Package contents	5
Getting to know your ZOTAC GAMING MEK1 Gaming PC	6
Front view	6
Rear view	7
Side view	8
Standing your ZOTAC GAMING MEK1 Gaming PC	9
Setting up your ZOTAC GAMING MEK1 Gaming PC	
Configure your ZOTAC GAMING MEK1 Gaming PC	12
Configuring a wireless connection	
Configuring a wired connection	
Using a static IP	
Configuring audio output	
Mouse & Keyboard	
Standard keyboard shortcuts	
Lighting effects	
Macro	15

Product specifications

	oddot specifications
	a shi a sa sa sa bha sa
	Intel Core i5-7400 (quad-core 3.0GHz, up to 3.5GHz)
	Operating systems:
	Windows 10 Home (pre-installed)
	System Memory support
	Two DDR4 DIMM slots (2x8G 2400MHz pre-installed)
	Supports one 2.5-inch SATA HDD or SSD (1TB HDD pre-installed)
	Expansion slot
	One M.2 PCIe x4 (240GB NVMe SSD pre-installed)
	USB Ports
	Two USB 3.0 port(Front)
	Two USB 2.0 port(Rear)
	Four USB 3.0 ports(Rear)
	Onboard Dual LAN
	Supports 10/100/1000 Mbps operation
	♦ Supports IEEE 802.3
	WiFi/Bluetooth support
	 Compliant with IEEE802.11ac standard
_	Bluetooth v4.2
_	♦ 7.1 audio output and Microphone input with Optical output
	· · · · · · · · · · · · · · · · · · ·
_	 Supports ACPI (Advanced Configuration and Power Interface)
	erreer er
	♦ ZOTAC GeForce GTX 1060 w/ 6GB GDDR5, 192bit
	◆ 3 x DisplayPort 1.4, 1 x HDMI 2.0b, 1 x DL-DVI
	♦ 418.3 x 118 x 415.2 mm (LxWxH)
	✤ 450W

Safety information

Your ZOTAC GAMING MEK1 Gaming PC is designed and tested to meet the latest standards of safety for information technology equipment. However, to ensure your safety, it is important that you read the following safety instructions.

Setting up your system

- Read and follow all instructions in the documentation before operating your system.
- Do not use this product near water or a heat source such as a radiator.
- Set up the system on a stable surface.
- Openings on the chassis are for ventilation. Do not block or cover these openings. Make sure you leave plenty of space around the system for ventilation. Never insert objects of any kind into the ventilation openings.
- ✤ Use this product in environments with ambient temperatures between 0°C and 35°C.
- If you use an extension cord, please use the UL listed cord and make sure that the total ampere rating of the devices plugged into the extension cord does not exceed its ampere rating.

Care during use

- Do not walk on the power cord or allow anything to rest on it.
- Do not spill water or any other liquids on your system.
- When the system is turned off, a small amount of electrical current still flows. Always unplug all power, modem, and network cables from the power outlets before cleaning the system.
- If you encounter the following technical problems with the product, unplug the power cord and contact a qualified service technician or your retailer.
 - > The power cord or plug is damaged.
 - > Liquid has been spilled onto the system.
 - > The system does not function properly even if you follow the operating instructions.
 - > The system was dropped or the cabinet is damaged.

Welcome

Congratulations on your purchase of the ZOTAC GAMING MEK1 Gaming PC. The following illustration displays the package contents of your new MEK1 Gaming PC. If any of the below items is damaged or missed, contact your retailer.

Package contents

- 1 x ZOTAC GAMING MEK1 Gaming PC
- · 2 x MEK1 Gaming PC Stand
- 1 or 2 x Power Cord (depends on region)
- 2 x Antenna
- 1 x Windows recovery DVD
- 1 x USB flash drive with Windows drivers
- 1 x User Manual & Warranty Card
- 1 x Quick Start Guide
- 1 x Gaming mouse*
- 1 x Gaming keyboard*
- 1 x Gaming mouse pad*

*Only applicable on select bundles



Getting to know your ZOTAC GAMING MEK1 Gaming PC Front view



Refer to the diagram below to identify the components on this side of the system

1. Power switch

The power switch allows powering ON and OFF the system. The ring LED will be lit while system is On.

2. Headphone/Audio Out jack

The stereo headphone jack (3.5mm) is used to connect the system's audio out signal to gaming headset.

3. Microphone jack

The microphone jack is designed to connect the microphone used for easy connection with gaming headset.

4. USB 3.0 ports

The USB 3.0 port supports the SuperSpeed USB 3.0 devices and is backwards compatible with USB 2.0/1.1 devices. Use this port for USB 3.0 devices for maximum performance with USB 3.0 compatible devices.

Rear view



1. Power input (IEC C14, standard power cord connection)

Connected with power cord to mains for AC input.

2. DVI port

The DVI port supports connection to digital display devices.

3. DisplayPorts

DisplayPorts supports both external (box-to-box) and internal (laptop LCD panel) display connections.

4. HDMI port

The HDMI (High Definition Multimedia Interface) port supports a UHD device such as an LCD TV or monitor to allow viewing on a larger external display.

5. Audio ports

Use the five audio ports to connect audio devices. The pink jack is for microphone. The green jack is for front speaker out signal. The blue jack is for side speaker out signal. The orange jack is for rear speaker out signal. The black jack is for center/subwoofer signal.

6. Optical (SPDIF OUT) jack

The optical S/PDIF output enables connectivity with digital audio receivers and speakers for crystal clear digital audio and surround sound from compatible soundtracks.

7. USB 3.0 ports

The USB 3.0 port supports the SuperSpeed USB 3.0 device. Use this port for USB 3.0 devices for maximum performance with USB 3.0 compatible devices.

8. LAN ports

The eight-pin RJ-45 LAN ports support standard Ethernet cables for connection to a local network.

9. WiFi antenna connectors

The WiFi antenna connector supports WiFi antenna module.

10. USB 2.0 ports

The USB (Universal Serial Bus) port is compatible with USB devices such as keyboards, mice, cameras and hard disk drives.

11. PS/2 port

The PS/2 port is used to connect with keyboard or mouse.

Do not block ventilation outlet for warm air exhaust.

Side view



1. LED Strips

Lighting effects are controlled by ZOTAC GAMING Spectra software. Customize color, 5 different lighting modes, and brightness. Visit <u>www.zotac.com</u> website for the latest version.

☞ Do not block the ventilation inlet / outlet. Lack of ventilation may cause system overheating.

Standing your ZOTAC GAMING MEK1 Gaming PC

- 1. Lay the MEK1 Gaming PC on its side on a flat surface.
- 2. Position the two MEK1 Gaming PC feet outside the edge of the flat surface.
- 3. Slide MEK1 Gaming PC stands on the MEK1 Gaming PC feet.





4. Lift the MEK1 Gaming PC up and position it upright.



*Standing the MEK1 Gaming PC without installing the stand is not recommended as it may be unstable and can be easily unbalanced.

Setting up your ZOTAC GAMING MEK1 Gaming PC

You need to connect peripherals before using your ZOTAC GAMING MEK1 Gaming PC.



1. Connecting to displays

Connect display to DP/HDMI/DVI if port available.

2. Connecting Audio devices

Connect the 7.1 Audio output or Optical output into your personal sound system, if needed.

3. Connecting to a network device

Connect one end of a network cable to the LAN port on the system rear panel and the other End to a hub or switch.

4. Connecting to USB 3.0/ USB2.0 devices

Connect USB 3.0/ USB 2.0 devices such as external hard drives, SSDs and flash drives to the ports.

5. Connecting WiFi antenna modules

Connect WiFi antenna modules to the WiFi antenna connectors.

6. Connecting the Keyboard or Mouse

Connect keyboard or mouse to the USB or PS/2 port.

7. Turning on the system

Plug the power cord into the power connector firmly and connect the other end to AC outlet. Then press the power switch on the front panel to turn on the system.

When your ZOTAC GAMING MEK1 Gaming PC is not in use, unplug the power socket from AC outlet to save on power consumption.

Configuring your ZOTAC GAMING MEK1 Gaming PC

Configuring a wireless connection

Please follow the instructions below to connect to a wireless network:

- 1. Double-click the wireless network icon (pic) in the notification area.
- 2. Select the wireless network you want to connect to from the list and click Connect.
- After connection is established, you will see "Connected." Note 1: For security concerns, Do NOT connect to an unsecured network, otherwise, the transmitted information without encryption might be visible to others.

Note 2: Enter the network security key if necessary.

Configuring a wired connection

Using a static IP

- Connect one end of the Ethernet cable to your Internet Service Provider (ISP) modem/router.
- 2. Connect the other end to the Ethernet port in the rear of the MEK1 Gaming PC.
- Highlight "Internet Protocol (TCP/IP)" and click "Properties".
- 4. Select "Use the following IP address".
- 5. Enter your IP address, subnet mask and Default gateway.
- 6. Enter the preferred DNS server address if necessary.
- 7. After entering all of the related values, click "OK" to finish the configuration.

cal Area Connection Propertie	
working Sharing	vork Connection , 2 65 Wireless Network
Internet Protocol Version 4 (TO	
General	
 Obtain an IP address au We the following IP add P address: Subnet mask: 	
Default gateway:	
Obtain DNS server adds	
Use the following DNS set	sver addresses
Preferred DNS server:	
Freieres und serves.	

Not connected	^
Connections are available	
Wireless Network Connection	=
linksys 🚮	
Connect	11
Is. all	*
Open Network and Sharing Center	
∉ ≢) 10:10 A	м

Configuring audio output

Follow the steps below to enable audio output when connecting the MEK1 Gaming PC to a TV or receiver via DP/HDMI adapter.

- 1. Access the Sound settings via the system Control Panel.
- Under Playback devices, click the display device that corresponds with your audio compatible display.
- 3. Click the "Set Default" button in the lower right hand corner.
- 4. Click "OK" to exit the setup.

) Soun	d	>
Playback	Recording Sounds Communications	
Select a	a playback device below to modify its settings:	
	NVIDIA HDMI Output (Port 1) NVIDIA High Definition Audio Not plugged in	
	NVIDIA HDMI Output (Port 2) NVIDIA High Definition Audio Not plugged in	
	NVIDIA HDMI Output (Port 3) NVIDIA High Definition Audio Not plugged in	
	VX2475 SERIES-4 NVIDIA High Definition Audio Default Device	
0	Speakers Realtek High Definition Audio Ready	
Con	figure Set Default 💌 Properties	
	OK Cancel Apply	

Mouse & Keyboard

Mouse and Keyboard are ready to use once connected to the USB port of the MEK1 Gaming PC.

Adjust the Mouse DPI sensitivity by pressing the button behind the Scroll wheel of the Mouse. Refer to below list for Keyboard shortcut features and lighting.

Standard keyboard shortcuts

FN+ESC = Turn off the backlight FN+F1 = Media FN+F2 = Play/Pause FN+F3 = Stop FN+F4 = Vol+ FN+F5 = Vol-FN+F6 = Mute FN+WIN L = WIN lock

Lighting effects

FN+PrtSc (press one time to change a mode) = Twelve backlight modes:

Marquee Wave Ripple Spread Flow Cyclone Breathing Normal Trace Gloomy Firefly

Twinkle

FN+ \uparrow/\downarrow = Five level brightness adjustment **FN+** \rightarrow/\leftarrow = Five speed regulation

Macro

FN+PAUSE: This mode can customize the backlight of each key LED. Enter the default 6 groups custom backlight by **FN+PAUSE**, switch one group at a time. If you want to modify the current group lighting effect; press **FN+SCL**, the indicator light will flash.

Then press any key you want to light up. After the modification is completed, press **FN+SCL** to save the changes.

FN+Del = Factory Reset (press and hold for 3sec.) Restore factory preset gaming mode macros.

*Gaming Mouse and Keyboard only applicable on select bundles.